



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/045,595	10/23/2001	Lino Tavares	208.1005US	8560

23280 7590 11/10/2003

DAVIDSON, DAVIDSON & KAPPEL, LLC
485 SEVENTH AVENUE, 14TH FLOOR
NEW YORK, NY 10018

EXAMINER

GHALI, ISIS A D

ART.UNIT	PAPER NUMBER
----------	--------------

1615

DATE MAILED: 11/10/2003

9

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/045,595

Applicant(s)

TAVARES ET AL.

Examiner

Isis Ghali

Art Unit

1615

-- **Th MAILING DATE of this communication appears on th cover sh et with the correspondence address --**

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 August 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-16 and 20-45 is/are pending in the application.
- 4a) Of the above claim(s) 39 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-16, 20-38 and 40-45 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. §§ 119 and 120

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 13) ☒ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
- a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 6.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

The receipt is acknowledged of applicants' amendment B and request for extension of time, both filed 08/25/2003.

Claims 17-19 have been canceled.

Response to Election/Restrictions

1. The election of species of the transdermal system and the election of species of the backing layer have been withdrawn.
2. Applicant's election without traverse of Group I, claims 1-16, and 20-45, and species (a) of the polymer, in Paper No. 8 is acknowledged.
3. Claim 39 is withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected species of the polymer, there being no allowable generic or linking claim. Election was made **without** traverse in Paper No. 8.

Claims 1-16, 20-38, 40-45 are included in the prosecution.

Claim Rejections - 35 USC § 112

4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

5. Claims 35 and 44 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding claim 35, the expression "rubber-like polymer" does not set out the metes and bounds of the claim. Recourse to the specification does not define the expression "rubber-like polymer". Clarification is requested.

Claim 44 recites the limitation "softening ester" in claim 23. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation

Art Unit: 1615

under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

8. Claims 1-16, 20-38 and 40-45 are rejected under 35 U.S.C. 103(a) as being unpatentable over WO 93/10781 ('781) in view of US 5,091,186 (186).

WO '871 teaches method for treating hypertension and angina using felodipine (abstract). The reference disclosed that any suitable route of administration may be employed as for example transdermal patches (page 19, lines 28-34). The reference disclosed a pharmaceutical composition comprising felodipine in an acceptable carrier and other therapeutic ingredients (page 20, lines 1-6).

The reference does not teach the specific delivery profile claimed by the applicants as claimed in claims 1-16. The reference does not teach the structure of the transdermal delivery system as claimed in claims 20-38 and 40-45.

US '186 teaches a transdermal drug delivery device to deliver drugs at therapeutically effective rates for about 20-28 hours (abstract; col.6, lines 4-20; col.7, lines 29-40). The reference teaches the calcium channel blockers as one of the drugs to be delivered by the transdermal delivery device (col.5, line 10). The transdermal device comprises a flexible backing layer, an adhesive drug reservoir layer, and a release liner (col.3, lines 25-30, 6-63; col.4, line 43). The delivery profile of the drug is determined by the diffusivity of the drug in the reservoir layer, the solubility of the drug in the reservoir

Art Unit: 1615

layer, and the degree of drug loading (col.6, lines 24-44). A given drug loading value will provide certain duration of delivery rate (col.7, lines 18022). To achieve the known desirable blood level of the drug, the delivery rate of the drug ranges from 10-50 ug/cm²/hr (col.7, lines 47-51). The reservoir is pressure sensitive adhesive comprising rubbers, polysiloxane and polyurethanes (col.4, lines 33-40). The reservoir further comprises solvent and glycol, claimed by applicant as softening agent (col.6, line 1; col.7, line 55).

The claimed amounts of different ingredients in the reservoir layer do not impart patentability to the claims because it is within the skill in the art to select optimal parameters in order to achieve a beneficial effect. Thus, the claimed amounts of the drug, solvent and the softening agent are not considered critical, absent evidence to the contrary.

The selection of particular solvent and softening agent for a specific drug is within the skill of the art depending on the properties of the each drug and its intended use. Thus the solvents and softening agents claimed in claims 37, 38, 44, and 45, do not impart patentability to the presented claims, absent evident to the contrary.

The determination of the relative release rate via an in-vitro permeation test utilizing a Valia-Chien cell is known in the art and it is not part of the claimed method of treating hypertension and angina; or even a part of the transdermal device that provide particular plasma levels. It is only an in-vitro diagnostic test that is expected to provide the same results obtained from two similar delivery devices tested under the same circumstances, and the recitation of this in-vitro test does not impart patentability to

Art Unit: 1615

claims directed to method of treating hypertension and angina or claims directed to transdermal device applied to patients to provide plasma levels, i.e. in vivo use.

Thus, it would have been obvious to one having ordinary skill in the art at the time of the invention to treat hypertension and angina using a transdermal device comprising felodipine, as disclosed by WO '781, and provide the felodipine in the transdermal device disclosed by US '186 that provide a particular delivery profile of the drug, and manipulate the amount of the drug to obtain a specific delivery profile, motivated by the teaching of US '186 that a given drug loading value will provide a certain duration of delivery rate depending on the drug loading, with reasonable expectation of having a transdermal drug delivery device to deliver felodipine to treat hypertension and angina effectively.

9. Claims 37, 38, 44, and 45 are rejected under 35 U.S.C. 103(a) as being unpatentable over WO '781 in view of US '186 as applied to claims 1-16, 20-38 and 40-45 above, and further in view of US 5,240,711 ('711).

The teachings of WO '781 and US '186 are discussed above.

The combination of WO '781 and US '186 does not teach the specific solvents and specific softening agents as claimed in claims 37, 38, 44, and 45.

US '711 teaches a transdermal drug delivery device for controlled delivery of drug comprising backing layer, polymeric reservoir and protective liner. The reservoir comprising: 20-90% of polymeric material, 0.1-20% of the drug, 0.1-30% softener, and 0.1-30% of solvent (abstract; col.1, line 64-67; col.4, line 23). The reservoir is pressure

Art Unit: 1615

sensitive adhesive and contains rubber-like co-, homo-, or block-copolymers (col.3, lines 25-26). The solvents used include those contain at least one acidic group, monoesters of dicarboxylic acids, such as monoethyl glutarate (col.4, lines 13-16). The softeners include medium chain triglycerides of the caprylic/capric acids or coconut oil; and dodecanol (col.3, lines 63-68; col.4, lines 1-2; col.7, lines 25-29). The backing is flexible, inflexible or aluminum foil (col.7, lines 5-12).

Thus, it would have been obvious to one having ordinary skill in the art at the time of the invention to treat hypertension and angina using a transdermal device comprising felodipine that provides a specific delivery profile and having particular structure, and select the specific solvents and softening agents disclosed by US '711, motivated by the teaching of US '711 that the transdermal device having these particular ingredients in its reservoir layer provides a controlled delivery of the drug, with reasonable expectation of having a transdermal drug delivery device to deliver felodipine to treat hypertension and angina effectively.

10. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. US 5,045,319 disclosed transdermal delivery system to deliver cardiovascular pharmaceuticals wherein the in-vitro release studies can be conducted using Valia-Chien diffusion cell.

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Isis Ghali whose telephone number is (703) 305-4048.


Art Unit: 1615

The examiner can normally be reached on Monday through Thursday from 7:00 AM to 5:30 PM, Eastern Time.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thurman K. Page, can be reached on (703) 308-2927. The fax phone number for the organization where this application or proceeding is assigned is (703) 305-3592.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1235.

Isis Ghali
Examiner
Art Unit 1615



ISIS GHALI
PATENT EXAMINER